

Package: poibin (via r-universe)

August 24, 2024

Version 1.6

Date 2024-08-23

Title The Poisson Binomial Distribution

Author Yili Hong [aut, cre], R Core Team [aut, cph]

Maintainer Yili Hong <yilihong@vt.edu>

Description Implementation of both the exact and approximation methods for computing the cdf of the Poisson binomial distribution as described in Hong (2013) <[doi:10.1016/j.csda.2012.10.006](https://doi.org/10.1016/j.csda.2012.10.006)>. It also provides the pmf, quantile function, and random number generation for the Poisson binomial distribution. The C code for fast Fourier transformation (FFT) is written by R Core Team (2019) <<https://www.R-project.org/>>, which implements the FFT algorithm in Singleton (1969) <[doi:10.1109/TAU.1969.1162042](https://doi.org/10.1109/TAU.1969.1162042)>.

License GPL-2

NeedsCompilation yes

Date/Publication 2024-08-23 15:10:01 UTC

Repository <https://yili-hong.r-universe.dev>

RemoteUrl <https://github.com/cran/poibin>

RemoteRef HEAD

RemoteSha 495606131efd7d3ae35eb718a68b373929e80fef

Contents

poibin-package	2
poibin	3
Index	5

poibin-package

*The Poisson Binomial Distribution***Description**

Implementation of both the exact and approximation methods for computing the cdf of the Poisson binomial distribution as described in Hong (2013) <doi: 10.1016/j.csda.2012.10.006>. It also provides the pmf, quantile function, and random number generation for the Poisson binomial distribution. The C code for fast Fourier transformation (FFT) is written by R Core Team (2019)<<https://www.R-project.org/>>, which implements the FFT algorithm in Singleton (1969) <doi: 10.1109/TAU.1969.1162042>.

Details

Package: poibin
 Version: 1.6
 Date: 2024-08-23
 Title: The Poisson Binomial Distribution
 Authors@R: c(person("Yili", "Hong", role = c("aut", "cre"),email = "yilihong@vt.edu"),person("", "R Core Team", role = c("aut", "cre"),email = "r-core-team@r-project.org"))
 Author: Yili Hong [aut, cre], R Core Team [aut, cph]
 Maintainer: Yili Hong <yilihong@vt.edu>
 Description: Implementation of both the exact and approximation methods for computing the cdf of the Poisson binomial distribution.
 License: GPL-2
 Archs: x64

Index of help topics:

poibin-package	The Poisson Binomial Distribution
ppoibin	The Poisson Binomial Distribution.

Author(s)

Yili Hong [aut, cre], R Core Team [aut, cph]

Maintainer: Yili Hong <yilihong@vt.edu>

References

Hong, Y. (2013). On computing the distribution function for the Poisson binomial distribution. *Computational Statistics & Data Analysis*, Vol. 59, pp. 41-51.

R Core Team (2019). "R: A Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, url: <https://www.R-project.org/>.

Singleton, R. C. (1969). An algorithm for computing the mixed radix fast Fourier transform. *IEEE Transactions on Audio and Electroacoustics*, Vol. 17, pp. 93-103.

Examples

```

kk=0:10
pp=c(.1,.2,.3,.4,.5)
ppoibin(kk=kk, pp=pp, method = "DFT-CF",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "RF",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "RNA",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "NA",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "PA",wts=rep(2,5))
dpoibin(kk=kk, pp=pp,wts=rep(2,5))
qpoibin(qq=0:10/10,pp=pp,wts=rep(2,5))
rpoibin(m=2,pp=pp,wts=rep(2,5))

```

poibin

*The Poisson Binomial Distribution.***Description**

The cdf, pmf, quantile function, and random number generation for the Poisson binomial distribution.

Usage

```

ppoibin(kk, pp, method = "DFT-CF",wts=NULL)
dpoibin(kk, pp,wts=NULL)
qpoibin(qq, pp,wts=NULL)
rpoibin(m, pp,wts=NULL)

```

Arguments

kk	The values where the cdf or pmf to be evaluated.
pp	The vector for p_j 's which are the success probabilities for indicators.
method	"DFT-CF" for the DFT-CF method, "RF" for the recursive formula, "RNA" for the refined normal approximation, "NA" for the normal approximation, and "PA" for the Poisson approximation.
wts	The weights for p_j 's.
qq	The values where the quantile function to be evaluated.
m	The number of random numbers to be generated.

Details

See the reference for computational details.

Value

Returns the entire cdf, pmf, quantiles, and random numbers.

Author(s)

Yili Hong [aut, cre], R Core Team [aut, cph]

References

Hong, Y. (2013). On computing the distribution function for the Poisson binomial distribution. *Computational Statistics & Data Analysis*, Vol. 59, pp. 41-51.

Examples

```
kk=0:10
pp=c(.1,.2,.3,.4,.5)
ppoibin(kk=kk, pp=pp, method = "DFT-CF",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "RF",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "RNA",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "NA",wts=rep(2,5))
ppoibin(kk=kk, pp=pp, method = "PA",wts=rep(2,5))
dpoibin(kk=kk, pp=pp,wts=rep(2,5))
qpoibin(qq=0:10/10,pp=pp,wts=rep(2,5))
rpoibin(m=2,pp=pp,wts=rep(2,5))
```

Index

* **package**

poibin-package, 2

dpoibin (poibin), 3

poibin, 3

poibin (poibin-package), 2

poibin-package, 2

ppoibin (poibin), 3

qpoibin (poibin), 3

rpoibin (poibin), 3